

Clinical Reference Guide

Healthy Aging Multiple

Lutein

A. Eye structure and function

1. Aleman TS, Duncan JL, Bieber ML, de Castro E, Marks DA, Gardner LM, et al. Macular pigment and lutein supplementation in retinitis pigmentosa and Usher syndrome. *Invest Ophthalmol Vis Sci*. Jul2001;42(8):1873-81.
2. Berendschot TT, Goldbohm RA, Klopping WA, van de Kraats J, van Norel J, van Norren D. Influence of lutein supplementation on macular pigment, assessed with two objective techniques. *Invest Ophthalmol Vis Sci*. Oct2000;41(11):3322-6.
3. Bone RA, Landrum JT, Dixon Z, Chen Y, Llerena CM. Lutein and zeaxanthin in the eyes, serum and diet of human subjects. *Exp Eye Res*. 2000 Sep;71(3):239-45.
4. Bone RA, Landrum JT, Friedes LM, Gomez CM, Kilburn MD, Menendez E, Vidal I, Wang W. Distribution of lutein and zeaxanthin stereoisomers in the human retina. *Exp Eye Res*. 1997 Feb;64(2):211-8.
5. Dagnelie G, Zorge IS, McDonald TM. Lutein improves visual function in some patients with retinal degeneration: a pilot study via the Internet. *Optometry*. Mar2000;71(3):147-64.
6. Hammond BR Jr, Johnson EJ, Russell RM, Krinsky NI, Yeum KJ, Edwards RB, Snodderly DM. Dietary modification of human macular pigment density. *Invest Ophthalmol Vis Sci*. 1997 Aug;38(9):1795-801.
7. Hankinson SE, Stampfer MJ, Seddon JM, et al. Nutrient intake and cataract extraction in women: a prospective study. *Br Med J* 1992;305(6849):335-9
8. Johnson EJ, Hammond BR, Yeum KJ, Qin J, Wang XD, Castaneda C, Snodderly DM, Russell RM. Relation among serum and tissue concentrations of lutein and zeaxanthin and macular pigment density. *Am J Clin Nutr*. 2000 Jun;71(6):1555-62.
9. Landrum JT, Bone RA, Joa H, Kilburn MD, Moore LL, Sprague KE. A one year study of the macular pigment: the effect of 140 days of a lutein supplement. *Exp Eye Res*. 1997 Jul;65(1):57-62.
10. Lyle BJ, et al. Antioxidant Intake and Risk of Incident Age-related Nuclear Cataracts in the Beaver Dam Eye Study. *Am J Epidemiol*. May1999;149(9):801-09.

11. Moeller SM, Jacques PF, Blumberg JB. The potential role of dietary xanthophylls in cataract and age-related macular degeneration. *J Am Coll Nutr.* 2000 Oct;19(5 Suppl):522S-527S.
12. Neuringer M, Johnson EJ, Snodderly DM, et al. Supplementation of carotenoid-depleted rhesus monkeys with lutein or zeaxanthin: Effects on serum and adipose tissue carotenoids and macular pigment. *ARVO.* 2001;42:S224.
13. Pratt S. Dietary prevention of age-related macular degeneration. *J Am Optom Assoc.* 1999 Jan;70(1):39-47.
14. Richer S, Stiles W, Statkute L, et al. Double-masked, placebo-controlled, randomized trial of lutein and antioxidant supplementation in the intervention of atrophic age-related macular degeneration: the Veterans LAST study (Lutein Antioxidant Supplementation Trial). *Optometry.* Apr2004;75(4):216-30.
15. Seddon JM, Ajani UA, Sperduto RD, Hiller R, Blair N, Burton TC, Farber MD, Gragoudas ES, Haller J, Miller DT, et al. Dietary carotenoids, vitamins A, C, and E, and advanced age-related macular degeneration. Eye Disease Case-Control Study Group. *JAMA.* 1994 Nov 9;272(18):1413-20.
16. Sommerburg OG, Siems WG, Hurst JS, Lewis JW, Kliger DS, van Kuijk FJ. Lutein and zeaxanthin are associated with photoreceptors in the human retina. *Curr Eye Res.* 1999 Dec;19(6):491-5.
17. Yeum KJ, et al. Measurement of Carotenoids, Retinoids, and Tocopherols in Human Lenses. *Invest Ophthalmol Vis Sci.* Dec1995;36(13):2756-61.

B. Immune modulation

1. Kim HW, Chew BP, Wong TS, et al. Dietary lutein stimulates immune response in the canine. *Vet Immunol Immunopathol.* May2000;74(3-4):315-27.
2. Kim HW, Chew BP, Wong TS, Park JS, Weng BB, Byrne KM, Hayek MG, Reinhart GA. Modulation of humoral and cell-mediated immune responses by dietary lutein in cats. *Vet Immunol Immunopathol.* 2000 Mar 15;73(3-4):331-41.
3. Park JS, Chew BP, Wong TS, Zhang JX, Magnuson NS. Dietary lutein but not astaxanthin or beta-carotene increases pim-1 gene expression in murine lymphocytes. *Nutr Cancer.* 1999;33(2):206-12.

C. Cardiovascular function and Antioxidant activity

1. Cooper DA, Eldridge AL, Peters JC. Dietary carotenoids and certain cancers, heart disease, and age-related macular degeneration: a review of recent research. *Nutr Rev.* Jul1999;57(7):201-14.

2. Dugas TR, Morel DW, Harrison EH. Dietary supplementation with beta-carotene, but not with lycopene, inhibits endothelial cell-mediated oxidation of low-density lipoprotein. *Free Radic Biol Med.* 1999 May;26(9-10):1238-44.
3. Dwyer JH, Navab M, Dwyer KM, et al. Oxygenated carotenoid lutein and progression of early atherosclerosis: the Los Angeles atherosclerosis study. *Circulation.* Jun2001;19:103(24):2922-7.

D. Brain function

1. Ascherio A, Rimm EB, Hernan MA, et al. Relation of consumption of vitamin E, vitamin C, and carotenoids to risk for stroke among men in the United States. *Ann Intern Med.* Jun1999;130(12):963-70.
2. Hirvonen T, Virtamo J, Korhonen P, et al. Intake of flavonoids, carotenoids, vitamins C and E, and risk of stroke in male smokers. *Stroke.* Oct2000;31(10):2301-6.

E. Detoxification

1. Jewell C, O'Brien NM. Effect of dietary supplementation with carotenoids on xenobiotic metabolizing enzymes in the liver, lung, kidney and small intestine of the rat. *Br J Nutr.* 1999 Mar;81(3):235-42.

Lycopene

A. Reproductive function, urinary tract function, cell proliferation

1. Amir H, Karas M, Giat J, Danilenko M, Levy R, Yermiahu T, Levy J, Sharoni Y. Lycopene and 1,25-dihydroxyvitamin D3 cooperate in the inhibition of cell cycle progression and induction of differentiation in HL-60 leukemic cells. *Nutr Cancer.* 1999;33(1):105-12.
2. Deneo H-Pellegrini H, De Stefani E, Ronco A, Mendilaharsu M. Foods, nutrients and prostate cancer: a case-control study in Uruguay. *Br J Cancer* 1999;80:591-7.
3. Dorgan JF, Sowell A, Swanson CA, et al. Relationships of serum carotenoids, retinol, alpha-tocopherol, and selenium with breast cancer risk: results from a prospective study in Columbia, Missouri. *Cancer Causes Control* 1998;9:89-97
4. Giovannucci E, Ascherio A, Rimm EB, et al. Intake of carotenoids and retinol in relation to risk of prostate cancer. *J Natl Cancer Inst* 1995;87:1767-76.
5. Grant WB. Calcium, lycopene, vitamin D and prostate cancer. *Prostate.* 2000 Feb 15;42(3):243.

6. Jarvinen R, Knekt P, Seppanen R, Teppo L. Diet and breast cancer in a cohort of Finnish women. *Cancer Lett* 1997;114:251–3.
7. Kanetsky PA, Gammon MD, Mandelblatt J, et al. Dietary intake and blood levels of lycopene: association with cervical dysplasia among non-hispanic, black women. *Nutr Cancer* 1998;31:31–40
8. Karas M, Amir H, Fishman D, Danilenko M, Segal S, Nahum A, Koifmann A, Giat Y, Levy J, Sharoni Y. Lycopene interferes with cell cycle progression and insulin-like growth factor I signaling in mammary cancer cells. *Nutr Cancer*. 2000;36(1):101-11.
9. Key TJ, Silcocks PB, Davey GK, et al. A case-control study of diet and prostate cancer. *Br J Cancer* 1997;76:678–87.
10. Kristal AR, Cohen JH. Invited commentary: tomatoes, lycopene, and prostate cancer. How strong is the evidence? *Am J Epidemiol* 2000;151:124–7 [review, discussion 128–30].
11. Kucuk O, Sarkar FH, Sakr W, et al. Phase II randomized clinical trial of lycopene supplementation before radical prostatectomy. *Cancer Epidemiol Biomarkers Prev*. Aug 2001;10(8):861–8.
12. Levy J, Bosin E, Feldman B, et al. Lycopene is a more potent inhibitor of human cancer cell proliferation than either alpha-carotene or beta-carotene. *Nutr Cancer* 1995;24:257–66.
13. Matlaga BR, Hall MC, Stindt D, Torti FM. Response of hormone refractory prostate cancer to lycopene. *J Urol* 2001;166:613.
14. Mills PK, Beeson WL, Phillips RL, Fraser GE. Cohort study of diet, lifestyle, and prostate cancer in Adventist men. *Cancer* 1989;64:598–604.
15. Norrish AE, Jackson RT, Sharpe SJ, Skeaff CM. Prostate cancer and dietary carotenoids. *Am J Epidemiol* 2000 Jan 15;151(2):119–23.
16. Rao AV, Agarwal S. Role of antioxidant lycopene in cancer and heart disease. *J Am Coll Nutr*. 2000 Oct;19(5):563-9.
17. Rao AV, Fleshner N, Agarwal S. Serum and tissue lycopene and biomarkers of oxidation in prostate cancer patients: a case-control study. *Nutr Cancer* 1999;33:159–64.
18. Schuman L, Mandel J, Radke A. Some selected features of the epidemiology of prostate cancer: Minneapolis-St. Paul, Minnesota case-control study, 1976–1979. In: Magnus K (ed). *Trends in cancer incidence: causes and implications*. Washington, DC: Hemisphere Publishing Corporation, 1982, 345–54.

19. Schuurman AG, Goldbohm RA, Dorant E, et al. Vegetable and fruit consumption and prostate cancer risk: a cohort study in The Netherlands. *Cancer Epidemiol Biomarkers Prev* 1998;7:673–80
20. Tzonou A, Signorello LB, Laggiou P, et al. Diet and cancer of the prostate: a case-control study in Greece. *Int J Cancer* 1999;80:704–8.
21. Van Eenwyk J, Davis FG, Bowne PE. Dietary and serum carotenoids and cervical intraepithelial neoplasia. *Int J Cancer* 1991;48:34–8.

B. Cardiovascular function

1. Agarwal S, et al. Tomato Lycopene and Low Density Lipoprotein Oxidation: A Human Dietary Intervention Study. *Lipids*. Oct1998;33(10):981-84.
2. Arab L, Steck S. Lycopene and cardiovascular disease. *Am J Clin Nutr*. 2000 Jun;71(6 Suppl):1691S-5S; discussion 1696S-7S.
3. Bohm V, Bitsch R. Intestinal absorption of lycopene from different matrices and interactions to other carotenoids, the lipid status, and the antioxidant capacity of human plasma. *Eur J Nutr*. 1999 Jun;38(3):118-2.
4. Hennekens CH, Buring JE, Manson JE, et al. Lack of effect of long-term supplementation with beta carotene on the incidence of malignant neoplasms and cardiovascular disease. *N Engl J Med* 1996;334:1145–9.
5. Kohlmeyer L, Kark JD, Gomez-Gracia E, et al. Lycopene and myocardial infarction risk in the EUROMIC study. *Am J Epidemiol* 1997;146(8):618–26.
6. Mayne ST, Cartmel B, Silva F, Kim CS, Fallon BG, Briskin K, Zheng T, Baum M, Shor-Posner G, Goodwin WJ Jr. Plasma lycopene concentrations in humans are determined by lycopene intake, plasma cholesterol concentrations and selected demographic factors. *J Nutr*. 1999 Apr;129(4):849-54.
7. Rissanen T, Voutilainen S, Nyssonen K, Salonen JT. Lycopene, atherosclerosis, and coronary heart disease. *Exp Biol Med (Maywood)*. Nov2002;227(10):900-7.
8. Sesso HD, et al. Plasma lycopene, other carotenoids, and retinol and the risk of cardiovascular disease in women. *Am J Clin Nutr*. Jan 2004;79(1):47-53.

C. Immune function

1. Chew BP. Antioxidant vitamins affect food animal immunity and health. *J Nutr*. Jun1995;125(6 Suppl):1804S-1808S.

2. Corridan BM, O'Donoghue M, Hughes DA, Morrissey PA. Low-dose supplementation with lycopene or beta-carotene does not enhance cell-mediated immunity in healthy free-living elderly humans. *Eur J Clin Nutr.* Aug2001;55(8):627-35.
3. Corridan BM, O'Donoghue MP, Morrissey PA. Carotenoids and immune response in elderly people. *Proc Nutr Soc* 1998;57:3A [abstr].

D. Aging

1. Agarwal S, Rao AV. Tomato lycopene and its role in human health and chronic diseases. *CMAJ.* 2000 Sep 19;163(6):739-44.
2. Bramley PM. Is lycopene beneficial to human health? *Phytochemistry.* 2000 Jun;54(3):233.
3. Clinton SK. Lycopene: Chemistry, Biology, and Implications for Human Health and Disease. *Nutr Rev.* Feb1998;56(2 Pt 1):35-51.
4. Davies J. Tomatoes and health. *J R Soc Health.* 2000 Jun;120(2):81-2.
5. Lowe GM, Booth LA, Young AJ, Bilton RF. Lycopene and beta-carotene protect against oxidative damage in HT29 cells at low concentrations but rapidly lose this capacity at higher doses. *Free Radic Res.* 1999 Feb;30(2):141-51.
6. Porrini M, Riso P. Lymphocyte lycopene concentration and DNA protection from oxidative damage is increased in women after a short period of tomato consumption. *J Nutr.* 2000 Feb;130(2):189-92.

E. Skin health

1. Stahl W, Heinrich U, Wiseman S, et al. Dietary tomato paste protects against ultraviolet light-induced erythema in humans. *J Nutr.* May2001;131(5):1449-51.

Tocotrienols

A. Antioxidant activity

1. Kamal-Eldin A, Appelqvist LA. The chemistry and antioxidant properties of tocopherols and tocotrienols. *Lipids* 1996;31:671-701 [review].
2. Kamat JP, Devasagayam TPA. Tocotrienols from palm oil as potent inhibitors of lipid peroxidation and protein oxidation in rat brain mitochondria. *Neurosci Lett* 1995;195:179-82.

3. Qureshi AA, Qureshi N. Tocotrienols: Novel hypocholesterolemic agents with antioxidant properties, in *Vitamin e in Health and Disease*. L Packer & J Fuchs, eds. New York: Marcel Dekker; 1993:247-267.
4. Suarna C, Hood RL, Dean RT, Stocker R. Comparative antioxidant activity of tocotrienols and other natural lipid-soluble antioxidants in a homogeneous system, and in rat and human lipoproteins. *Biochim Biophys Acta* 1993;1166:163–70.
5. Serbinova E, et al. Free radical recycling and intramembrane mobility in the antioxidant properties of alpha-tocopherol and alpha-tocotrienol. *Free Radic Biol Med.* 1991;10(5):263-75.
6. Theriault A, Chao JT, Wang Q, et al. Tocotrienol: a review of its therapeutic potential. *Clin Biochem* 1999;32:309–19 [review].
7. Tomeo A, et al. Antioxidant Effects of Tocotrienols in Patients With Hyperlipidemia and Carotid Stenosis. *Lipids.* 1995;30(12):1179-1183.

B. Cardiovascular function

1. Mensink RP, van Houwelingen AC, Kromhout D, Hornstra G. A vitamin E concentrate rich in tocotrienols had no effect on serum lipids, lipoproteins, or platelet function in men with mildly elevated serum lipid concentrations. *Am J Clin Nutr* 1999;69:213–9.
2. Parker RA, Pearce BC, Clark RW, et al. Tocotrienols regulate cholesterol production in mammalian cells by post-transcriptional suppression of 3-hydroxy-3-methylglutaryl-coenzyme A reductase. *J Biol Chem* May 1993;268(15):11230–8.
3. Pearce BC, Parker RA, Deason ME, et al. Hypocholesterolemic activity of synthetic and natural tocotrienols. *J Med Chem* 1992;35:3595–606.
4. Qureshi AA, Bradlow BA, Brace L, et al. Response of hypercholesterolemic subjects to administration of tocotrienols. *Lipids* 1995;30:1171–7.
5. Qureshi AA, Qureshi N. Tocotrienols: Novel hypocholesterolemic agents with antioxidant properties, in *Vitamin e in Health and Disease*. L Packer & J Fuchs, eds. New York: Marcel Dekker; 1993:247-267.
6. Qureshi AA, Qureshi N, Wright JJ, et al. Lowering of serum cholesterol in hypercholesterolemic humans by tocotrienols (palmvitee). *Am J Clin Nutr* 1991;53:1021S–6S.
7. Tomeo AC, Geller M, Watkins TR, et al. Antioxidant effects of tocotrienols in patients with hyperlipidemia and carotid stenosis. *Lipids* 1995;30:1179–83.

8. Wahlqvist ML, Krivokuca-Bogetic A, Lo CS, et al. Differential serum response of tocopherols and tocotrienols during vitamin supplementation in hypercholesterolemic individuals without change in coronary risk factors. *Nutr Res* 1992;12:S181–201.

C. Cell proliferation, structure and function

1. Goh SH, Hew NF, Norhanom AW, Yadav M. Inhibition of tumour promotion by various palm-oil tocotrienols. *Int J Cancer* 1994;57:529–31.
2. He L, Mo H, Hadisusilo S, et al. Isoprenoids suppress the growth of murine B16 melanomas in vitro and in vivo. *J Nutr* 1997;127:668–74.
3. Mo H, Elson CE. Apoptosis and cell-cycle arrest in human and murine tumor cells are initiated by isoprenoids. *J Nutr* 1999;129:804–13.
4. Nesaretnam K, Stephen R, Dils R, Darbre P. Tocotrienols inhibit the growth of human breast cancer cells irrespective of estrogen receptor status. *Lipids* 1998;33:461–9.
5. Sen CK, et al. Molecular basis of vitamin E action. Tocotrienol potently inhibits glutamate-induced pp60(c-src) kinase activation and death of ht4 neuronal cells. *J Biol Chem.* Apr2000;275(17):13049-55.
6. Yu W, Simmons-Menchaca M, Gapor A, et al. Induction of apoptosis in human breast cancer cells by tocopherols and tocotrienols. *Nutr Cancer* 1999;33:26–32.

Alpha Lipoic Acid

A. Antioxidation, detoxification

1. Anuradha B, Varalakshmi P. Protective role of DL-alpha-lipoic acid against mercury-induced neural lipid peroxidation. *Pharmacol Res.* Jan1999;39(1):67-80.
2. Arivazhagan P, Panneerselvam C. Effect of DL - alpha -lipoic acid on neural antioxidants in aged rats. *Pharmacol Res.* 2000 Sep;42(3):219-22.
3. Berkson BM. Thiocctic acid in treatment of hepatotoxic mushroom (Phalloides) poisoning. *N Engl J Med.* Feb1979;300(7):371.
4. Biewenga GP, Haenen GR, Bast A. The pharmacology of the antioxidant lipoic acid. *Gen Pharmacol.* 1997 Sep;29(3):315-31.
5. Busse E, Zimmer G, Schorpohl B, et al. Influence of alpha-lipoic acid on intracellular glutathione in vitro and in vivo. *Arzneimittel-Forschung*1992;42:829–31.

6. Dovinova I. alpha-Lipoic acid--a natural disulfide cofactor and antioxidant with anticarcinogenic effects. *Ceska Slov Farm*. 1996 Sep;45(5):237-41.
7. Gurer H, Ozgunes H, Oztezcan S, Ercal N. Antioxidant role of alpha-lipoic acid in lead toxicity. *Free Radic Biol Med*. Jul1999;27(1-2):75-81.
8. Hagen TM, Ingersoll RT, Lykkesfeldt J, Liu J, Wehr CM, Vinarsky V, Bartholomew JC, Ames AB. (R)-alpha-lipoic acid-supplemented old rats have improved mitochondrial function, decreased oxidative damage, and increased metabolic rate. *FASEB J*. 1999 Feb;13(2):411-8.
9. Kagan V, Khan S, Swanson C, et al. Antioxidant action of thioctic acid and dihydrolipoic acid. *Free Radic Biol Med* 1990;9S:15.
10. Kagan V, Serbinova E, Packer L. Antioxidant effects of ubiquinones in microsomes and mitochondria are mediated by tocopherol recycling. *Biochem Biophys Res Commun* 1990;169:851-7.
11. Kagan VE, Shvedova A, Serbinova E, et al. Dihydrolipoic acid--a universal antioxidant both in the membrane and in the aqueous phase. Reduction of peroxy, ascorbyl and chromanoxyl radicals. *Biochem Pharmacol*. Oct1992;44(8):1637-49.
12. Lykkesfeldt J, Hagen TM, Vinarsky V, Ames BN. Age-associated decline in ascorbic acid concentration, recycling, and biosynthesis in rat hepatocytes—reversal with (R)-alpha-lipoic acid supplementation. *FASEB J* 1998;12:1183-9.
13. Monograph:Alpha-Lipoic Acid. *Altern Med Rev*. Aug1998;3(4):308-11.
14. Nichols TW Jr. Alpha-lipoic acid: biological effects and clinical implications. *Altern Med Rev* 1997;2:177-83 [review].
15. Nickander KK, McPhee BR, Low PA, Tritschler H. Alpha-lipoic acid: antioxidant potency against lipid peroxidation of neural tissues in vitro and implications for diabetic neuropathy. *Free Radic Biol Med*. 1996;21(5):631-9.
16. Packer L. alpha-Lipoic acid: a metabolic antioxidant which regulates NF-kappa B signal transduction and protects against oxidative injury. *Drug Metab Rev*. 1998 May;30(2):245-75.
17. Packer L, Tritschler HJ, Wessel K. Neuroprotection by the metabolic antioxidant alpha-lipoic acid. *Free Radic Biol Med*. 1997;22(1-2):359-78.
18. Packer L, Witt EH, Tritschler HJ. Alpha-lipoic acid as a biological antioxidant. *Free Radic Biol Med* 1995 Aug;19(2):227-50 [review].

19. Panigrahi M, Sadguna Y, Shivakumar BR, Kolluri SV, Roy S, Packer L, Ravindranath V. alpha-Lipoic acid protects against reperfusion injury following cerebral ischemia in rats. *Brain Res.* 1996 Apr 22;717(1-2):184-8.
20. Parish RC, Doering PL. Treatment of Amanita mushroom poisoning: a review. *Vet Hum Toxicol.* Aug1986;28(4):318-22.
21. Podda M, Tritschler HJ, Ulrich H, Packer L. Alpha-lipoic acid supplementation prevents symptoms of vitamin E deficiency. *Biochem Biophys Res Commun.* 1994 Oct 14;204(1):98-104.
22. Scholich H, Murphy ME, Sies H. Antioxidant activity of dihydrolipoate against microsomal lipid peroxidation and its dependence on alpha-tocopherol. *Biochem Biophys Acta* 1989;1001:256-61.
23. Scholz RW, Reddy PV, Wynn MK, Graham KS, Liken AD, Gumprich E, Reddy CC. Glutathione-dependent factors and inhibition of rat liver microsomal lipid peroxidation. *Free Radic Biol Med.* 1997;23(5):815-28.
24. Serbinova E, Khwaja S, Reznick AZ, Packer L. Thiocctic acid protects against ischemia-reperfusion injury in the isolated perfused Langendorff heart. *Free Radic Res Commun.* 1992;17(1):49-58.
25. Sigel H, Prijs B, McCormick DB, Shih JCH. Stability and structure of binary and ternary complexes of a-lipoate and lipoate derivatives with Mn²⁺, Cu²⁺, and Zn²⁺ in solution. *Arch Biochem Biophys.* 1978;187:208-214.
26. Sumathi R, Baskaran G, Varalakshmi P. Relationship between glutathione and DL alpha-lipoic acid against cadmium-induced hepatotoxicity. *Jpn J Med Sci Biol.* Apr1996;49(2):39-48.

B. Glucose uptake and metabolism

1. Estrada DE, Ewart HS, Tsakiridis T, et al. Stimulation of glucose uptake by the natural coenzyme alpha-lipoic acid/thiocctic acid: participation of elements of the insulin signaling pathway. *Diabetes.* 1996;45:1798-1804.
2. Evans JL, Goldfine ID. Alpha-lipoic acid: a multifunctional antioxidant that improves insulin sensitivity in patients with type 2 diabetes. *Diabetes Technol Ther.* Sep 2000;2(3):401-13.
3. Konrad D. The antihyperglycemic drug alpha-lipoic acid stimulates glucose uptake via both GLUT4 translocation and GLUT4 activation: potential role of p38 mitogen-activated protein kinase in GLUT4 activation. *Diabetes.* Jun 2000;50(6):1464-71.

4. Konrad T, Vicini P, Kusterer K, Hoflich A, Assadkhani A, Bohles HJ, Sewell A, Tritschler HJ, Cobelli C, Usadel KH. alpha-Lipoic acid treatment decreases serum lactate and pyruvate concentrations and improves glucose effectiveness in lean and obese patients with type 2 diabetes. *Diabetes Care*. 1999 Feb;22(2):280.

C. Visual function

1. Filina AA, Davydova NG, Endrikhovskii SN, et al. Lipoic acid as a means of metabolic therapy of open-angle glaucoma. *Vestn Oftalmol* Dec 1995;111(4):6-8.
2. Kilic F, et al. Modelling Cortical Cataractogenesis XX. In Vitro Effect of Alpha-lipoic Acid on Glutathione Concentrations in Lens in Model Diabetic Cataractogenesis. *Biochem Mol Biol Int*. Oct1998;46(3):585-95.
3. Stoyanovsky DA, Goldman R, Darrow RM, et al. Endogenous ascorbate regenerates vitamin E in the retina directly and in combination with exogenous dihydrolipoic acid. *Curr Eye Res*. Mar1995;14(3):181-9.
4. Ziegler D, Gries FA. Alpha-lipoic acid in the treatment of diabetic peripheral and cardiac autonomic neuropathy. *Diabetes*. 1997 Sep;46 Suppl 2:S62-6.

D. Cellular energy production

1. Khanna S, Atalay M, Lodge JK, Laaksonen DE, Roy S, Hanninen O, Packer L, Sen CK. Skeletal muscle and liver lipoyllysine content in response to exercise, training and dietary alpha-lipoic acid supplementation. *Biochem Mol Biol Int*. 1998 Oct;46(2):297-30.

E. Cellular structure and function integrity

1. Hagen TM, Ingersoll RT, Lykkesfeldt J, Liu J, Wehr CM, Vinarsky V, Bartholomew JC, Ames AB. (R)-alpha-lipoic acid-supplemented old rats have improved mitochondrial function, decreased oxidative damage, and increased metabolic rate. *FASEB J*. 1999 Feb;13(2):411-8.

F. Metabolic function

1. Baur A, Harrer T, Peukert M, et al. Alpha-lipoic acid is an effective inhibitor of human immuno-deficiency virus (HIV-1) replication. *Klin Wochenschr* 1991;69:722-4.
2. Hagen TM, Ingersoll RT, Lykkesfeldt J, Liu J, Wehr CM, Vinarsky V, Bartholomew JC, Ames AB. (R)-alpha-lipoic acid-supplemented old rats have improved mitochondrial function, decreased oxidative damage, and increased metabolic rate. *FASEB J*. 1999 Feb;13(2):411-8.

3. Khanna S, Atalay M, Lodge JK, Laaksonen DE, Roy S, Hanninen O, Packer L, Sen CK. Skeletal muscle and liver lipoyllysine content in response to exercise, training and dietary alpha-lipoic acid supplementation. *Biochem Mol Biol Int.* 1998 Oct;46(2):297-30.
4. Roy S, Sen CK, Tritschler HJ, Packer L. Modulation of cellular reducing equivalent homeostasis by alpha-lipoic acid. Mechanisms and implications for diabetes and ischemic injury. *Biochem Pharmacol.* 1997 Feb 7;53(3):393-9.
5. Vasdev S, Ford CA, Parai S, Longerich L, Gadag V. Dietary alpha-lipoic acid supplementation lowers blood pressure in spontaneously hypertensive rats. *J Hypertens.* 2000 May;18(5):567-73.

G. Liver function

1. Berkson BM. A conservative triple antioxidant approach to the treatment of hepatitis C. Combination of alpha lipoic acid (thioctic acid), silymarin, and selenium: three case histories. *Med Klin.* Oct1999;94(Suppl 3):84-9.
2. Berkson BM. Thioctic acid in treatment of hepatotoxic mushroom (Phalloides) poisoning. *N Engl J Med.* Feb1979;300(7):371.
3. Plotzker R, Jensen DM, Payne JA. Case report. Amanita virosa acute hepatic necrosis: treatment with thioctic acid. *Am J Med Sci.* Mar1982;283(2):79-82.
4. Scholz RW, Reddy PV, Wynn MK, Graham KS, Liken AD, Gumprich E, Reddy CC. Glutathione-dependent factors and inhibition of rat liver microsomal lipid peroxidation. *Free Radic Biol Med.* 1997;23(5):815-28.
5. Sumathi R, Baskaran G, Varalakshmi P. Relationship between glutathione and DL alpha-lipoic acid against cadmium-induced hepatotoxicity. *Jpn J Med Sci Biol.* Apr1996;49(2):39-48.

H. Nervous system

1. Low PA, et al. The Roles of Oxidative Stress and Antioxidant Treatment in Experimental Diabetic Neuropathy. *Diabetes.* Sep1997;46(Suppl 2):S38-42.
2. Nickander KK, McPhee BR, Low PA, Tritschler H. Alpha-lipoic acid: antioxidant potency against lipid peroxidation of neural tissues in vitro and implications for diabetic neuropathy. *Free Radic Biol Med.* 1996;21(5):631-9.
3. Packer L, Tritschler HJ, Wessel K. Neuroprotection by the metabolic antioxidant alpha-lipoic acid. *Free Radic Biol Med.* 1997;22(1-2):359-78.

4. Roy S, Sen CK, Tritschler HJ, Packer L. Modulation of cellular reducing equivalent homeostasis by alpha-lipoic acid. Mechanisms and implications for diabetes and ischemic injury. *Biochem Pharmacol.* 1997 Feb 7;53(3):393-9.
5. Ziegler D, Gries FA. Alpha-lipoic acid in the treatment of diabetic peripheral and cardiac autonomic neuropathy. *Diabetes.* 1997 Sep;46 Suppl 2:S62-6.
6. Ziegler D, Ulrich H, Schatz H, et al. Effects of treatment with the antioxidant alpha-lipoic acid on cardiac autonomic neuropathy in NIDDM patients. *Diabetes Care* 1997;20:369-73.

Grape Seed Extract

A. Antioxidant activity and detoxification

1. Ariga, T. "Radical scavenging action and its mode in procyanidins B-1 and B-3 from Azuki beans to peroxy radicals." *Agric. Biol. Chem.* 1990. 54(10): 2499-2504.
2. Bagchi D, Bagchi M, Stohs SJ, Das DK, Ray SD, Kuszynski CA, Joshi SS, Pruess HG. Free radicals and grape seed proanthocyanidin extract: importance in human health and disease prevention. *Toxicology.* 2000 Aug 7;148(2-3):187-97.
3. Bagchi D, Garg A, Krohn RL, Bagchi M, Bagchi DJ, Balmoori J, Stohs SJ. Protective effects of grape seed proanthocyanidins and selected antioxidants against TPA-induced hepatic and brain lipid peroxidation and DNA fragmentation, and peritoneal macrophage activation in mice. *Gen Pharmacol.* 1998 May;30(5):771-6.
4. Bagchi D, Garg A, Krohn RL, Bagchi M, Tran MX, Stohs SJ. Oxygen free radical scavenging abilities of vitamins C and E, and a grape seed proanthocyanidin extract in vitro. *Res Commun Mol Pathol Pharmacol.* 1997 Feb;95(2):179-89.
5. Bouhamidi R, Prevost V, Nouvelot A. High protection by grape seed proanthocyanidins (GSPC) of polyunsaturated fatty acids against UV-C induced peroxidation. *C R Acad Sci III.* 1998 Jan;321(1):31-8.
6. Castillo J, Benavente-Garcia O, Lorente J, et al. Antioxidant Activity and Radioprotective Effects Against Chromosomal Damage Induced In Vivo by X-rays of Flavan-3-ols (Procyanidins) from Grape Seeds (*Vitis vinifera*): Comparative Study Versus Other Phenolic and Organic Compounds. *J Agric Food Chem.* May2000;48(5):1738-45.
7. Da Silva, J.M.R., et. al. "Radical Scavenger Capacity of Different Procyanidins from Grape Seeds." Presented at a symposium "Free Radicals in Biotechnology and Medicine." Royal Society of Chemistry, London January 1990, pp. 79-80.

8. Fauconneau B, et al. Comparative Study of Radical Scavenger and Antioxidant Properties of Phenolic Compounds from *Vitis vinifera* Cell Cultures Using in Vitro Tests. *Life Sci.* 1997;61(21):103-10.
9. Frankel EN, et al. Inhibition of Oxidation of Human Low-density Lipoprotein by Phenolic Substances in Red Wine. *Lancet.* 1993;341(8843):454-57.
10. Joshi SS, Kuszynski CA, Bagchi M, et al. Chemopreventive Effects of Grape Seed Proanthocyanidin Extract on Chang Liver Cells. *Toxicology.* Nov2000;155(1-3):83-90.
11. Koga T, Moro K, Nakamori K, et al. Increase of Antioxidative Potential of Rat Plasma by Oral Administration of Proanthocyanidin-rich Extract from Grape Seeds. *J Agric Food Chem.* May1999;47(5):1892-7.
12. Maffei F, Carini M, Aldini G, et al. Free radical scavenging action and anti-enzyme activities of procyanidines from *Vitis vinifera*. A mechanism for their capillary protective action. *Arzneimittelforschung* 1994;44:592-601.
13. Maffei Facino R, et al. Procyanidines from *Vitis vinifera* Seeds Protect Rabbit Heart from Ischemia/Reperfusion Injury: Antioxidant Intervention and/or Iron and Copper Sequestering Ability. *Planta Med.* 1996;62(6):495-502.
14. Maffei Facino R, et al. Regeneration of Endogenous Antioxidants, Ascorbic Acid, Alpha Tocopherol, by the Oligomeric Procyanide Fraction of *Vitis vinifera* L:ESR Study. *Boll Chim Farm.* 1997;136(4):340-44.
15. Mitcheva M, Astroug H, Drenska D, et al. Biochemical and morphological studies on the effects of anthocyanins and vitamin E on carbon tetrachloride induced liver injury. *Cell Mol Bio* 1993;39:443-8.
16. Morel, I. Et.al. 1993. Antioxidant and Iron-chelating Activities of the Flavonoids catechin, Quercetin, and Diosmetin on Iron-loaded Rat Hepatocyte Cultures. *Biochem Pharmacology.* 45(1):13-19.
17. Natella F, Belevi F, Gentili V, Ursini F, Scaccini C. Grape seed proanthocyanidins prevent plasma postprandial oxidative stress in humans. *J Agric Food Chem.* Dec2002;50(26):7720-5.
18. Nuttall SL, Kendall MJ, Bombardelli E, Morazzoni P. An evaluation of the antioxidant activity of a standardized grape seed extract, Leucoselect. *J Clin Pharm Ther.* 1998 Oct;23(5):385-9.
19. Packer L, Rimbach G, Virgili F. Antioxidant activity and biologic properties of a procyanidin-rich extract from pine (*Pinus maritima*) bark, pycnogenol. *Free Radic Biol Med.* 1999 Sep;27(5-6):704-24.

20. Ray SD, Kumar MA, Bagchi D. A Novel Proanthocyanidin IH636 Grape Seed Extract Increases In Vivo Bcl-XL Expression and Prevents Acetaminophen-induced Programmed and Unprogrammed Cell Death in Mouse Liver. *Arch Biochem Biophys.* Sep1999;369(1):42-58.
21. Robert A.M.; Groult, N.; Six, C.; Robert, L. Study of the effect of procyanidolic oligomers on mesenchymal cells in culture. *Pat. Biol.* 1990, 38 (6), pp. 601-607.
22. Rong Y, Li L, Shah V, Lau BH. Pycnogenol protects vascular endothelial cells from t-butyl hydroperoxide induced oxidant injury. *Biotechnol Ther.* 1994-95;5(3-4):117-26.
23. Salah, N. et.al. 1995 Polyphenolic Flavanols as Scavengers of Aqueous phase Radicals and as Chain-breaking Antioxidants. *Archives of Biochemistry and Biophysics.* 322(2): 339-346.
24. Uchida S, et al. Active Oxygen Free Radicals Are Scavenged by Condensed Tannins. *Prog Clin Biol Res.* 1988;280:135-38.
25. Vigna GB, et al. Effect of a standardized grape seed extract on low-density lipoprotein susceptibility to oxidation in heavy smokers. *Metabolism.* 2003 Oct;52(10):1250-7.
26. Virgili F, Kobuchi H, Packer L. Procyanidins extracted from *Pinus maritima* (Pycnogenol): scavengers of free radical species and modulators of nitrogen monoxide metabolism in activated murine RAW 264.7 macrophages. *Free Radic Biol Med.* 1998 May;24(7-8):1120-9.
27. Ye X, Krohn RL, Liu W, et al. The Cytotoxic Effects of a Novel IH636 Grape Seed Proanthocyanidin Extract on Cultured Human Cancer Cells. *Mol Cell Biochem.* Jun1999;196(1-2):99-108.

B. Fluid balance

1. Baroch J. Effect of Endotelon in postoperative edema. Results of a double-blind study versus placebo in 32 female patients. *Ann Chir Polast Esthet* 1984;29:393–5 [in French].
2. Blazso G, Gabor M. Oedema-inhibiting Effect of Procyanidin. *Acta Physiol Acad Sci Hung.* 1980;56(2):235-40.

C. Immune function and cell proliferation

1. Bernstein CK, Deng C, Shuklah R, et al. Abstract 1018 Double Blind Placebo Controlled (DBPC) Study of Grapeseed Extract in the Treatment of Seasonal Allergic

Rhinitis (SAR). American Academy of Allergy, Asthma and Immunology (AAAAI) 57th Annual Meeting. Mar2001.

2. Cheshier JE, Ardestani-Kaboudanian S, Liang B, Araghiniknam M, Chung S, Lane L, Castro A, Watson RR. Immunomodulation by pycnogenol in retrovirus-infected or ethanol-fed mice. *Life Sci.* 1996;58(5):PL 87-96.
3. Devi, M. Ambika, Das, N. P. 1993. In Vitro Effects of Natural Plant Polyphenols on the proliferation of Normal and Abnormal Human Lymphocytes and their secretions of Interleukin-2. *Cancer Letters.* 69(3): 191-196.
4. Habtemariam, S. 1997. Flavonoids as Inhibitors or Enhancers of the Cytotoxicity of Tumor Necrosis Factor-Alpha in L-929 Tumor Cells. *J Nat Prod.* 60(8): 775-778.
5. Huynh HT, Teel RW. Selective induction of apoptosis in human mammary cancer cells (MCF-7) by pycnogenol. *Anticancer Res.* 2000 Jul-Aug;20(4):2417-20.
6. Kandaswami, C. Perkin, E., Soloniuk, D.S., Drzeweicki, G., Middleton, E.Jr. 1991. Antiproliferative effects of Citrus Flavonoids on a Human Squamous Cell Carcinoma in Vitro. *Cancer Letters.* 56(2): 147-152.
7. Liviero L, Puglisis E. Antimutagenic activity of procyanidins from vitis vinifera. *Fitother* 1994;65:203-9.

D. Blood vessels

1. Chang WC, et al. Inhibition of Platelet Aggregation and Arachidonate Metabolism in Platelets by Procyanidins. *Prostaglandins Leukot Essent Fatty Acids.* Dec1989;38(3):181-88.
2. Dartenuc JY, Marache P, Choussat H. Resistance Capillaire en Geriatrie Etude d'un Microangioprotecteur. *Bordeaux Médical* 1980;13:903-7 [in French].
3. Delacroix P. Etude en Double Avengle de l'Endotelon dans l'Insuffisance Veineuse Chronique. *Therapeutique, la Revue de Medicine* 1981;27-28 Sept:1793-802 [in French].
4. Fitzpatrick DF, Bing B, Rohdewald P. Endothelium-dependent vascular effects of Pycnogenol. *J Cardiovasc Pharmacol.* 1998 Oct;32(4):509-15.
5. Fitzpatrick DF, et al. Endothelium-dependent Vasorelaxing Activity of Wine and Other Grape Products. *Am J Physiol.* 1993;265(2 Pt 2):H774-H778.
6. Lagrue G, et al. A Study of the Effects of Procyanidol Oligomers on Capillary Resistance in Hypertension and in Certain Nephropathies. *Sem Hop.* 1981;57(33-36):1399-1401.

7. Liu F, Lau BH, Peng Q, Shah V. Pycnogenol protects vascular endothelial cells from beta-amyloid-induced injury. *Biol Pharm Bull.* 2000 Jun;23(6):735-7.
8. Puetter M, Grotemeyer KHM, Wuerthwein G, et al. Inhibition of smoking-induced platelet aggregation by aspirin and pycnogenol. *Thromb Res* 1999;95:155-61.
9. Robert L, et al. The Effect of Procyanidolic Oligomers on Vascular Permeability. A Study Using Quantitative Morphology. *Pathol Biol. (Paris).* 1990;38(6):608-16.
10. Royer RJ, Schmidt CL. Evaluation of Venotropic Drugs by Venous Gas Plethysmography. A Study of Proanthocyanidolic Oligomers. *Sem Hop.* 1981;157:2009-2013.
11. Thebaut JF, Thebaut P, Vin F. Study of Endotelon in functional manifestations of peripheral venous insufficiency. *Gazette Medicale* 1985;92:96–100 [in French].
12. Yamakoshi J, Kataoka S, Koga T, Ariga T. Proanthocyanidin-rich extract from grape seeds attenuates the development of aortic atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis.* 1999 Jan;142(1):139-49.
13. Zafirov D, Bredy-Dobrev G, Litchev V, et al. Antiexudative and Capillaritonic Effects of Procyanidines Isolated from Grape Seeds (*V. Vinifera*). *Acta Physiol Pharmacol Bulg.* 1990;16(3):50-4.

E. Connective tissue, collagen and skin

1. Barracchini A, Franceschini N, Filippello M, et al. Leukocyanidines and Collagenases: In Vitro Enzyme Inhibition Activity. *Clin Ter.* Jul1999;150(4):275-8.
2. Jonadet M, et al. Anthocyanosides Extracted from *Vitis vinifera*, *Vaccinium myrtillus* and *Pinus maritimus*. I. Elastase-inhibiting Activities in Vitro. II. Compared Angioprotective Activities in Vivo. *J Pharm Belg.* 1983;38(1):41-46.
3. Masquelier, J., Dumon, M.C., Dumas, J. "Stabilization du Collagene Par Les Oligomeres Procyanidoliques." *Acta Therapeutica* 1981, 7 pp. 101-105.
4. Robert AM, et al. The Effect of Procyanidolic Oligomers on Mesenchymal Cells in Culture. II --Attachment of Elastic Fibers to the Cells. *Pathol Biol. (Paris).* 1990;38(6):601-07.
5. Tixier JM, Godeau G, Robert AM, Hornebeck W. Evidence by in vivo and in vitro studies that binding of pycnogenols to elastin affects its rate of degradation by elastases. *Biochem Pharmacol.* 1984 Dec 15;33(24):3933-9.

F. Vision

1. Boissin JP, Corbe C, Siou A. Chorioretinal circulation and dazzling; use of procyanidolic oligomers. Bull Soc Ophtalmol Fr 1988;88:173-4, 177-9 [in French].
2. Corbe C, Boissin JP, Siou A. Light vision and chorioretinal circulation. Study of the effect of procyanidolic oligomers. J Fr Ophtalmol 1988;11:453-60.
3. Huang SH, Adamis AP, Wiederchain DG, et al. Matrix Metalloproteinases and Their Inhibitors in Aqueous Humor. Exp Eye Res. May 1996;62(5):481-90.
4. Verin MMP, Vilda A, Maurin JF. Therapeutic Essay. Retinopathy and OPC. Bord Med. 1978;11:1467-1473.

Diindolylmethane (DIM)

A. Reproduction, hormones and detoxification

1. Bradlow HL, et al. 16 α hydroxylation of estradiol: a possible risk marker for breast cancer. Biochem Biophys Res Commun 1986;237:138-151.
2. Cavalieri EL, et al. Molecular origin of cancer: Catechol estrogen-3, 4-quinones as endogenous tumor initiators. Proc Natl Acad Sci USA 1997;94:10937-10942.
3. Chen I, et al. Indole-3-carbinol and diindolylmethane as aryl hydrocarbon (Ah) receptor agonists and antagonists in T47D human breast cancer cells. Biochem Pharm 1996;51:1069-1076.
4. Farnsworth WE. Role of estrogen and SHBG in prostate physiology. The Prostate 1996;28:17-23.
5. Fishman J. Biological action of catechol oestrogens. J Endocrin 1981;89:59P-65P. Grodstein F, et al. Postmenopausal hormone therapy and mortality. NEJM 1997;336:1769-1775.
6. Guo D. Protection by chorophyllin and indole-3-carbinol against 2-aminofluorene (PhIP)-induced DNA adducts and colonic aberrant crypts in the F344 rat. Carcinogenesis 1995;16:2931-2937.
7. Ho GH, et al. Urinary 2/16 α -hydroxyestrone ratio: correlation with serum insulin-like growth factor binding protein-3 and a potential biomarker of breast cancer risk. Ann Acad Med Singapore 1998;27:294-299.
8. Inestrosa NC, et al. Cellular and molecular basis of estrogen's neuroprotection: potential relevance for Alzheimer's Disease. Molecular Neurobiology 1998;17:73-86.

9. Janet Tou, Chibo Hong and Leonard F. Bjeldanes. The Influence of 3'-Diindolylmethane on Breast Tumor Growth, Invasion and Metastasis, *Experimental Biology* 2001, March 31-April 4, 2001, Orlando, Florida.
10. Jellinck PH, et al. Ah receptor binding properties of indole carbinols and induction of hepatic estradiol hydroxylation. *Biochem Pharmacol* 1993 Mar 9;45(5):1129-1136.
11. Kabat GC, et al. Urinary estrogen metabolites and breast cancer: a case-control study. *Cancer Epidemiol Biomarkers Prev* 1997 Jul;6(7):505-509.
12. Kall, MA, et al. Effects of dietary broccoli on human drug metabolizing enzymes: Evaluation of caffeine, oestrone and chlorzoxazone metabolism. *Carcinogenesis* 1996;17:793-799.
13. Sepkovic DW, Bradlow HL, Michnovicz J, Murtezani S, Levy I, Osborne MP. "Catechol estrogen production in rat microsomes after treatment with indole-3-carbinol, ascorbigen, or beta-naphthaflavone: a comparison of stable isotope dilution gas chromatography-mass spectrometry and radiometric methods." *Steroids*. 1994 May;59(5):318-23.
14. Telang NT, et al. Inhibition of proliferation and modulation estradiol metabolism: Novel mechanisms for breast cancer prevention by the phytochemical indole-3-carbinol. *Proc Soc Experi Biol Med* 1997;216:246-252.
15. Verhoven DTH, et al. Epidemiological studies on brassica vegetables and cancer risk. *Cancer epidemiol Biomarkers Prev* 1996;5:733-748.
16. Zeligs MA. "The Cruciferous Choice: DIM or I3C?" *Townsend Letter for Doctors and Patients*; August/September 2001; 217:47-53.

Rhodiola Extract

A. General bioactivity

1. Bol'shakova IV, et al. Antioxidant Properties of a Series of Extracts From Medicinal Plants. *Biofizika*. Mar1997;42(2):480-83.
2. Salikhova RA, et al. Effect of Rhodiola rosea On The Yield of Mutation Alterations and DNA Repair In Bone Marrow Cells. *Patol Fiziol Eksp Ter*. Oct1997;(4):22-24.
3. Saratikov AS, et al. Rhodiola rosea Is a Valuable Medicinal Plant. Tomsk State Medicinal University, Russia: Russian Academy of Medicinal Sciences; 1987.
4. Saratikov AS, et al. Rhodiolosid, A New Glycoside from Rhodiola rosea and Its Pharmacological Properties. *Pharmazie*. Jul 1968;23(7):392-95.

5. Thieme H. On the Identity of Glucoside Rhodioloside and Salidroside. *Pharmazie*. Feb1969;24(2):118-19.
6. Udintsev SN, et al. Changes In Clonogenic Properties of Bone Marrow and Transplantable Mice Tumor Cells During Combined Use of Cyclophosphane and Biological Response Modifiers of Adaptogenic Origin. *Eksp Onkol*. 1990;12(6):55-56.
7. Udintsev SN, et al. Decrease of Cyclophosphamide Haematotoxicity by *Rhodiola rosea* Root Extract In Mice With Ehrlich and Lewis Transplantable Tumors. *Eur J Cancer*. 1991;27(9):1182.
8. Udinstev SN, et al. The Enhancement of The Efficacy of Adriamycin by Using Hepatoprotectors of Plant Origin In Metastases of Ehrlich's Adenocarcinoma to the Liver In Mice. *Vopr Onkol*. 1992;38(10):1217-22.
9. Wang S, Wang FP. Studies on the chemical components of *Rhodiola crenulata*. *Yao Hsueh Hsueh Pao*. 1992;27(2):117-20.
10. Xu J, Xie J, Feng P, Su Z. Oxygen transfer characteristics in the compact callus aggregates of *Rhodiola sachalinensis*. *Chin J Biotechnol* 1998;14(2):99-107.

B. Adaptogenic activity

1. Molokovskii DS, et al. The Action of Adaptogenic Plant Preparations in Experimental Alloxan Diabetes. *Probl Endokrinol. (Mosk)*. Nov1989;35(6):82-87.
2. Rege NN, Thatte UM, Dahanukar SA. Adaptogenic properties of six rasayana herbs used in Ayurvedic medicine. *Phytother Res* 1999 Jun;13(4):275-91.
3. Spasov AA, Wikman GK, Mandrikov VB, Mironova IA, Neumoin VV. A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of *Rhodiola rosea* SHR-5 extract on the fatigue of students caused by stress during an examination period with a repeated low-dose regimen. *Phytomedicine* 2000 Apr;7(2):85-9.

C. Cognition

1. Darbinyan V, Kteyan A, Panossian A, et al. *Rhodiola rosea* in Stress Induced Fatigue-A Double Blind Coss-over Study of a Standardized Extract SHR-5 with a Repeated Low-dose Regimen on the Mental Performance of Healthy Physicians During Night Duty. *Phytomedicine*. Oct2000;7(5):365-71.
2. Petkov VD, et al. Effects of Alcohol Aqueous Extract From *Rhodiola rosea* L. Roots On Learning and Memory. *Acta Physiol Pharmacol Bulg*. 1986;12(1):3-16.

D. Cardiovascular

1. Lishmanov Iu B, et al. The Anti-arrhythmia Effect of Rhodiola rosea and Its Possible Mechanism. *Biull Eksp Biol Med.* Aug1993;116(8):175-76.
2. Lishmanov Iu B, Naumova AV, Afanas'ev SA, Maslov LN. Contribution of the opioid system to realization of inotropic effects of Rhodiola rosea extracts in ischemic and reperfusion heart damage in vitro. *Eksp Klin Farmakol* 1997 May-Jun;60(3):34-6.
3. Maimeskulova LA, et al. The Participation of the Mu-, Delta- and Kappa-opioid Receptors in the Realization of the Anti-arrhythmia Effect of Rhodiola rosea. *Eksp Klin Farmakol.* Jan1997;60(1):38-39.
4. Maslova LV, Kondrat'ev BIu, Maslov LN, Lishmanov IuB. The cardioprotective and antiadrenergic activity of an extract of Rhodiola rosea in stress. *Eksp Klin Farmakol* 1994 Nov-Dec;57(6):61-3.
5. Maslov LN, et al. Mechanism of The Anti-arrhythmic Effect of Rhodiola rosea Extract. *Biull Eksp Biol Med.* Apr1998;125(4):424-26.
6. Rege NN, et al. Adaptogenic Properties of Six Rasayana Herbs Used in Ayurvedic Medicine. *Phytother Res.* Jun1999;13(4):275-91.

E. Stress

1. Maslova LV, et al. The Cardioprotective and Antiadrenergic Activity of An Extract of Rhodiola rosea In Stress. *Eksp Klin Farmakol.* Nov1994;57(6):61-63.

Green Tea extract (leaf)

A. Antioxidant activity

1. Anderson JW, Diwadkar VA, Bridges SR. Selective effects of different antioxidants on oxidation of lipoproteins from rats. *Proc Soc Exp Biol Med.* 1998 Sep;218(4):376-81.
2. Benzie IF, Szeto YT, Strain JJ, Tomlinson B. Consumption of green tea causes rapid increase in plasma antioxidant power in humans. *Nutr Cancer.* 1999;34(1):83-7.
3. Benzie IF, Szeto YT. Total Antioxidant Capacity of Teas by the Ferric Reducing/Antioxidant Power Assay. *J Agric Food Chem.* Feb1999;47(2):633-6.
4. Cheng TO. Antioxidants in Chinese Green Tea. *J Am Coll Cardiol.* Apr 1998;31(5):1214.

5. Dulloo AG, Duret C, Rohrer D, et al. Efficacy of a Green Tea Extract Rich in Catechin Polyphenols and Caffeine in Increasing 24-h Energy Expenditure and Fat Oxidation in Humans. *Am J Clin Nutr.* Dec1999;70(6):1040-5.
6. Grinberg LN, et al. Protective Effects of Tea Polyphenols against Oxidative Damage to Red Blood Cells. *Biochem Pharmacol.* Nov1997;54(9):973-78.
7. Hakim IA, Harris RB, Brown S, et al. Effect of Increased Tea Consumption on Oxidative DNA Damage among Smokers: A Randomized Controlled Study. *J Nutr.* Oct2003;133(10):3303S-9S.
8. Hasegawa R, Chujo T, Sai-Kato K, Umemura T, Tanimura A, Kurokawa Y. Preventive effects of green tea against liver oxidative DNA damage and hepatotoxicity in rats treated with 2-nitropropane. *Food Chem Toxicol.* 1995 Nov;33(11):961-70.
9. Ichihashi M, Ahmed NU, Budiyo A, et al. Preventive Effect of Antioxidant on Ultraviolet-induced Skin Cancer in Mice. *J Dermatol Sci.* Mar 2000;23(Suppl 1):S45-50.
10. Katiyar SK, Afaq F, Perez A, et al. Green Tea Polyphenol (-)-Epigallocatechin-3-gallate Treatment of Human Skin inhibits Ultraviolet Radiation-induced Oxidative Stress. *Carcinogenesis.* Feb2001;22(2):287-294.
11. Katiyar SK, et al. Tea Antioxidants in Cancer Chemoprevention. *J Cell Biochem.* 1997;27(Suppl):59-67.
12. Klaunig JE, Xu Y, Han C, et al. The Effect of Tea Consumption on Oxidative Stress in Smokers and Nonsmokers. *Proc Soc Exp Biol Med.* Apr1999;220(4):249-54.
13. Kumamoto M, et al. Evaluation of the Antioxidative Activity of Tea by an Oxygen Electrode Method. *Biosci Biotechnol Biochem.* Jan1998;62(1):175-77.
14. Langley-Evans SC. Antioxidant Potential of Green and Black Tea Determined Using the Ferric Reducing Power (FRAP) Assay. *Int J Food Sci Nutr.* May2000;51(3):181-8.
15. Lee IP, Kim YH, Kang MH, et al. Chemopreventive Effect of Green Tea (*Camellia sinensis*) Against Cigarette Smoke-induced Mutations (SCE) in Humans. *J Cell Biochem Suppl.* 1997;27:68-75.
16. Leenen R, Roodenburg AJ, Tijburg LB, et al. A Single Dose of Tea With or Without Milk Increases Plasma Antioxidant Activity in Humans. *Eur J Clin Nutr.* Jan2000;54(1):87-92.
17. Lin AM, Chyi BY, Wu LY, et al. The Antioxidative Property of Green Tea Against Iron-induced Oxidative Stress in Rat Brain. *Chin J Physiol.*

18. Liu Z, Ma LP, Zhou B, et al. Antioxidative Effects of Green Tea Polyphenols on Free Radical Initiated and Photosensitized Peroxidation of Human Low Density Lipoprotein. *Chem Phys Lipids*. Jun2000;106(1):53-63.
19. Mitscher LA, et al. Chemoprotection: A Review of the Potential Therapeutic Antioxidant Properties of Green Tea (*Camellia sinensis*) and Certain of Its Constituents. *Med Res Rev*. Jul1997;17(4):327-65.
20. Satoh K, Sakagami H. Ascorbyl radical scavenging activity of polyphenols. *Anticancer Res*. 1996 Sep-Oct;16(5A):2885-90.
21. Serafini M, Ghiselli A, Ferro-Luzzi A. In vivo antioxidant effect of green tea in man. *Eur J Clin Nutr* 1996;50:28–32.
22. Sung H, Nah J, Chun S, et al. In Vivo Antioxidant Effect of Green Tea. *Eur J Clin Nutr*. Jul2000;54(7):527-9.
23. Valcic S, Burr JA, Timmermann BN, et al. Antioxidant Chemistry of Green Tea Catechins. New Oxidation Products of (-)-Epigallocatechin Gallate and (-)-Epigallocatechin from Their Reactions with Peroxyl Radicals. *Chem Res Toxicol*. Apr1999;12(4):382-6.
24. Xu Y, Ho CT, Amin SG, Han C, Chung FL. Inhibition of tobacco-specific nitrosamine-induced lung tumorigenesis in A/J mice by green tea and its major polyphenol as antioxidants. *Cancer Res*. 1992 Jul 15;52(14):3875-9.
25. Zhao JF, Zhang YJ, Jin XH, et al. Green Tea Protects Against Psoralen Plus Ultraviolet A-induced Photochemical Damage to Skin. *J Invest Dermatol*. Dec1999;113(6):1070-5.
26. Zhu QY, Huang Y, Tsang D, et al. Regeneration of Alpha-tocopherol in Human Low-density Lipoprotein by Green Tea Catechin. *J Agric Food Chem*. May 1999;47(5):2020-5.

B. Thermogenesis and fat metabolism

1. Dulloo AG, Duret C, Rohrer D, Girardier L, Mensi N, Fathi M, Chantre P, Vandermander J. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr*. 1999 Dec;70(6):1040-5.
2. Dulloo AG, Seydoux J, Girardier L, Chantre P, Vandermander J. Green tea and thermogenesis: interactions between catechin-polyphenols, caffeine and sympathetic activity. *Int J Obes Relat Metab Disord*. 2000 Feb;24(2):252-8.

3. Sayama K, Lin S, Zheng G, Oguni I. Effects of green tea on growth, food utilization and lipid metabolism in mice. *In Vivo*. 2000 Jul-Aug;14(4):481-4.

C. Cardiovascular structure and function

1. Hertog MG, et al. Antioxidant Flavonols and Ischemic Heart Disease in a Welsh Population of Men: The Caerphilly Study. *Am J Clin Nutr*. May1997;65(5):1489-94.

2. Imai K, Nakachi K. Cross Sectional Study of Effects of Drinking Green Tea on Cardiovascular and Liver Diseases. *BMJ*. Mar1995;310(6981):693-96.

3. Kono S, Shinchi K, Ikeda N, et al. Green tea consumption and serum lipid profiles: A cross-sectional study in Northern Kyushu, Japan. *Prev Med* 1992;21:526–31.

4. Miura Y, Chiba T, Miura S, et al. Green Tea Polyphenols (Flavan 3-ols) Prevent Oxidative Modification of Low Density Lipoproteins: An Ex Vivo Study in Humans. *J Nutr Biochem*. Apr2000;11(4):216-222.

5. Muramatsu K, Fukuyo M, Hara Y. Effect of green tea catechins on plasma cholesterol level in cholesterol-fed rats. *J Nutr Sci Vitaminol (Tokyo)*. 1986 Dec;32(6):613-22.

6. Nakagawa K, Ninomiya M, Okubo T, et al. Tea Catechin Supplementation Increases Antioxidant Capacity and Prevents Phospholipid Hydroperoxidation in Plasma of Humans. *J Agric Food Chem*. Oct1999;47(10):3967-73.

7. Princen HM, et al. No Effect of Consumption of Green and Black Tea on Plasma Lipid and Antioxidant Levels and on LDL Oxidation in Smokers. *Arterioscler Thromb Vasc Biol*. May1998;18(5):833-41.

8. Sagesaka-Mitane Y, et al. Platelet Aggregation Inhibitors in Hot Water Extract of Green Tea. *Chem Pharm Bull. (Tokyo)*. Mar1990;38(3):790-93.

9. Sasazuki S, Komdama H, Yoshimasu K, et al. Relation between green tea consumption and severity of coronary atherosclerosis among Japanese men and women. *Ann Epidemiol* 2000;10:401–8.

10. Stensvold I, Tverdal A, Solvoll K, et al. Tea consumption. Relationship to cholesterol, blood pressure, and coronary and total mortality. *Prev Med* 1992;21:546–53.

11. Tsubono Y, Tsugane S. Green tea intake in relation to serum lipid levels in middle-aged Japanese men and women. *Ann Epidemiol* 1997;7:280–4.

12. Van het Hof KH, Wiseman SA, Yang CS, et al. Plasma and Lipoprotein Levels of Tea Catechins Following Repeated Tea Consumption. *Proc Soc Exp Biol Med*. Apr1999;220(4):203-9.

13. Yamaguchi Y, Hayashi M, Yamazoe H, et al. Preventive effects of green tea extract on lipid abnormalities in serum, liver and aorta of mice fed an atherogenic diet. *Nip Yak Zas* 1991;97:329–37.
14. Yang TT, Koo MW. Chinese green tea lowers cholesterol level through an increase in fecal lipid excretion. *Life Sci.* 2000;66(5):411-23.
15. Yang TT, Koo MW. Hypocholesterolemic effects of Chinese tea. *Pharmacol Res.* 1997 Jun;35(6):505-12.
16. Yokozawa T, et al. Influence of Green Tea and Its Three Major Components upon Low-density Lipoprotein Oxidation. *Exp Toxicol Pathol.* Dec1997;49(5):329-35.

D. Inhibition of abnormal cell growth and stimulation of apoptosis of abnormal cells

1. Agarwal R, et al. Cancer Chemoprevention by Polyphenols in Green Tea and Artichoke. *Adv Exp Med Biol.* 1996;401:35-50.
2. Bushman JL. Green Tea and Cancer in Humans: A Review of the Literature. *Nutr Cancer.* 1998;31(3):151-9.
3. Imai K, Suga K, Nakachi K. Cancer-preventive effects of drinking green tea among a Japanese population. *Prev Med* 1997;26:769–75.
4. Jankun J, et al. Why Drinking Green Tea Could Prevent Cancer. *Nature.* Jun1997;387(6633):561.
5. Jian L. Protective effect of green tea against prostate cancer: a case-control study in southeast China. *Int J Cancer.* 2004 Jan 1;108(1):130-5.
6. Katiyar SK, Mukhtar H. Tea consumption and cancer. *World Rev Nutr Diet* 1996;79:154–84 [review].
7. Kemberling JK, Hampton JA, Keck RW, Gomez MA, Selman SH. Inhibition of Bladder Tumor Growth by the Green Tea Derivative Epigallocatechin-3-Gallate. *J Urol.* Sep2003;170(3):773-776.
8. Kohlmeier L, Weterings KG, Steck S, Kok FJ. Tea and cancer prevention: an evaluation of the epidemiologic literature. *Nutr Cancer* 1997;27:1–13 [review].
9. Komori A, et al. Anticarcinogenic Activity of Green Tea Polyphenols. *Jpn J Clin Oncol.* Jun1993;23(3):186-90.
10. Li N, Sun Z, Han C, Chen J. The chemopreventive effects of tea on human oral precancerous mucosa lesions. *Proc Soc Exp Biol Med* 1999;220:218–24.

11. Mukhtar H, Ahmad N. Green tea in chemoprevention of cancer. *Toxicol Sci* 1999;52(2 Suppl):111–7.
12. Mukhtar H, et al. Cancer Chemoprevention by Green Tea Components. *Adv Exp Med Biol*. 1994;354:123-34.
13. Nakachi K , et al. Influence of Drinking Green Tea on Breast Cancer Malignancy among Japanese Patients. *Jpn J Cancer Res*. Mar1998;89(3):254-61.
14. Sadzuka Y, et al. Modulation of Cancer Chemotherapy by Green Tea. *Clin Cancer Res*. Jan1998;4(1):153-56.
15. Stoner GD, Mukhtar H. Polyphenols as Cancer Chemopreventive Agents. *J Cell Biochem Supp*. 1995;22:169-80.
16. Suganuma M, Okabe S, Sueoka N, et al. Green tea and cancer chemoprevention. *Mutat Res* 1999;428:339–44.
17. Sugiyama T, Sadzuka Y. Enhancing Effects of Green Tea Components on the Antitumor Activity of Adriamycin Against M5076 Ovarian Sarcoma. *Cancer Lett*. Nov1998;133(1):19-26.
18. Weisberger JH, Rivenson A, Garr K, et al. Tea, or tea and milk, inhibit mammary gland and colon carcinogenesis in rats. *Cancer Lett* 1997;114:323–7.
19. Weisburger JH, Rivenson A, Aliaga C, Reinhardt J, Kelloff GJ, Boone CW, Steele VE, Balentine DA, Pittman B, Zang E. Effect of tea extracts, polyphenols, and epigallocatechin gallate on azoxymethane-induced colon cancer. *Proc Soc Exp Biol Med*. 1998 Jan;217(1):104-8.
20. Wu AH, Yu MC, Tseng CC, Hankin J, Pike MC. Green tea and risk of breast cancer in Asian Americans. *Int J Cancer*. Sep2003;106(4):574-9.
21. Yang CS, Lee MJ, Chen L, Yang GY. Polyphenols as inhibitors of carcinogenesis. *Environ Health Perspect* 1997;105(Suppl 4):971–6 [review].
22. Yu H, Oho T, Tagomori S, et al. Anticariogenic Effects of Green Tea. *Fukuoka Igaku Zasshi*. Apr1992;83(4):174-80.

E. Metabolic Activity

1. Elmetts CA, Singh D, Tubesing K, et al. Cutaneous Photoprotection from Ultraviolet Injury by Green Tea Polyphenols. *J Am Acad Dermatol*. Mar2001;44(3):425-432.

2. Goto K, Kanaya S, Ishigami T, Hara Y. The effects of tea catechins on fecal conditions of elderly residents in a long-term care facility. *J Nutr Sci Vitaminol* 1999;45:135-41.
3. Goto K, Kanaya S, Nishikawa T, et al. The influence of tea catechins on fecal flora of elderly residents in long-term care facilities. *Ann Long-Term Care* 1998;6:43-8.
4. Hamilton-Miller JM. Antimicrobial properties of tea (*Camellia sinensis* L.). *Antimicro Agents Chemother* 1995;39:2375-7.
5. Hodgson JM, Puddey IB, Burke V, et al. Effects on Blood Pressure of Drinking Green and Black Tea. *J Hypertens*. Apr1999;17(4):457-63.
6. Horiba N, Maekawa Y, Ito M, et al. A Pilot Study of Japanese Green Tea as a Medicament: Antibacterial and Bactericidal Effects. *J Endod*. Mar1991;17(3):122-4.
7. Kao YH, Hiipakka RA, Liao S. Modulation of endocrine systems and food intake by green tea epigallocatechin gallate. *Endocrinology*. 2000 Mar;141(3):980-7.
8. Ooshima T, Minami T, Aono W, et al. Reduction of dental plaque deposition in humans by oolong tea extract. *Caries Res* 1994;28:146-9.
9. Otake S, Makimura M, Kuroki T, et al. Anticaries Effects of Polyphenolic Compounds from Japanese Green Tea. *Caries Res*. 1991;25(6):438-43.
10. Rasheed A, Haider M. Antibacterial Activity of *Camellia sinensis* Extracts Against Dental Caries. *Arch Pharm Res*. Jun1998;21(3):348-52.
11. Stammer G, et al. Green Tea Catechins (EGCG and EGC) Have Modulating Effects on the Activity of Doxorubicin in Drug-resistant Cell Lines. *Anticancer Drugs*. Mar1997;8(3):265-68.
12. Yan YS. Effect of Chinese Tea Extract on the Immune Function of Mice Bearing Tumor and Their Antitumor Activity. *Chung Hua Yu Fang I Hsueh Tsa Chih*. Jan 1992;26(1):5-7.
13. You SQ. Study on feasibility of Chinese green tea polyphenols (CTP) for preventing dental caries. *Chin J Stom* 1993;28:197-9.
14. Zeyuan D, Bingying T, Xiaolin L, et al. Effect of Green Tea and Black Tea on the Metabolisms of Mineral Elements in Old Rats. *Biol Trace Elem Res*. Oct 1998;65:75-86.
15. Zhu M, Gong Y, Ge G. Effects of green tea on growth inhibition and immune regulation of Lewis lung cancer in mice. *Chung Hua Yu Fang I Hsueh Tsa Chih*. 1997 Nov;31(6):325-9.